

# OPEN MOULD

NEXT GENERATION EBIKE SOLUTIONS

InterJet INC.



INTERJET CAN OFFER YOU CUTTING EDGE READY-FOR-USE FRAMES FOR THE 2020 GENERATIONS OF BOTH BOSCH AND SHIMANO FULL INTEGRATED DRIVE SYSTEMS.



Not only do our openly available frames comply with all current market requirements, such as modern design, a trailblazing geometry, 27,5+ or 29" wheel size and high-performance rear-suspension technology, but also you can rely on our superior Quality and QC standards, on-time delivery and uncomplicated warranty settlement.

We supply our customers even starting from moderate qty's. On top of that we offer totally flexible possibilities for custom modifications, regarding design or geometry, even for smaller orders, without charging any start-up cost.

Different categories and models, internal or external batteries, custom geometry, alternative tubing and gussets, suspension travel options, a lot of highly customizable options are available.

### CONTENT



E/X\TB		ETREKKING	
Overview	06	Overview	16
DX6 Type	07	DX6 Type	17
4BAR Type	09	4BAR Type	19
TT Link Type	11	TT Link Type	21
HT	13	HT	23
		Wave	25
		Imprint	26





### **Overview**



E/MTB

All Frames with integrated or external Battery



**DX6 TYPE SHIMANO** 




**4BAR TYPE BOSCH** 



TT LINK TYPE BOSCH

We offer a wide variety of possibilities for your eMTB solutions. Simply choose from different suspension systems, travel levels, geometry settings, wheel size, rear axle width (O.L.D.), and tubing options to compose your favourite frame! All of the frames have been engineered using the latest 3D software and we are using leading kinematics software to optimise the suspension systems performance. Our frames are produced in one of the best bicycle frame factories in the world, so you can count on absolutely outstanding production quality and stability.





Leverage Ratio



## DX6 Type Bosch



E/MTB






#### eMTB Fully

Bosch G4 | PT-500 Internal DT Battery | BT-500 130/140/150mm Suspension Travel 27,5" B-Plus | 29" Semi-Plus Tru-Axle Superboost (+) possible Internal cablerouting Tubing | Gusset Options **Individual Geometry and Framesizes** 





## DX6 Type Shimano



**EX**TB






**OP02** 

**OP04** 

#### eMTB Fully

Shimano E8000 | BT-E8035 Internal Battery | BT-E8010 130/140/150mm Suspension Travel 27,5" B-Plus | 29" Semi-Plus Tru-Axle Superboost (+) possible Internal cablerouting DU-E5000 | DU-E6100 | DU-E7000 Compatible Tubing | Gusset Options Individual Geometry and Framesizes





## 4BAR Type Bosch



EMTB








**OP07** 

#### eMTB Fully

Bosch G4 | PT-500 Internal DT Battery | BT-500 130/140/150mm Suspension Travel 27,5" B-Plus | 29" Semi-Plus Tru-Axle Superboost (+) possible Internal cablerouting Tubing | Gusset Options Individual Geometry and Framesizes





## 4BAR Type Shimano



E/MTB






#### eMTB Fully

Shimano E8000 | BT-E8035 Internal Battery | BT-E8010 130/140/150mm Suspension Travel 27,5" B-Plus | 29" Semi-Plus Tru-Axle Superboost (+) possible Internal cablerouting E5000 | E6100 | E7000 Compatible **Tubing | Gusset Options Individual Geometry and Framesizes** 





## TT Link Type Bosch



EMTB






0P11

#### eMTB Fully

Bosch G4 | PT-500 Internal DT Battery | BT-500
130/140/150mm Suspension Travel
27,5" B-Plus | 29" Semi-Plus
Tru-Axle
Superboost (+) possible
Internal cablerouting
Tubing | Gusset Options
Individual Geometry and Framesizes





## TT Link Type Shimano



E/MTB






#### eMTB Fully

Shimano E8000 | BT-E8035 Internal Battery | BT-E8010 130/140/150mm Suspension Travel 27,5" B-Plus | 29" Semi-Plus Tru-Axle Superboost (+) possible Internal cablerouting E5000 | E6100 | E7000 Compatible Tubing | Gusset Options **Individual Geometry and Framesizes** 





### HT Bosch




E/X/TB



#### eMTB Hardtail

Bosch G4 | PT-500 Internal DT Battery | BT-500 100/120mm Fork Travel 27,5" B-Plus | 29" Semi-Plus Tru-Axle Superboost (+) possible Internal cablerouting Tubing | Gusset Options Individual Geometry and Framesizes





## HT Shimano



**E**MTB




#### eMTB Hardtail

Shimano E8000 | BT-E8035 Internal Battery | BT-E8010 100/120mm Fork Travel 27,5" B-Plus | 29" Semi-Plus Tru-Axle Superboost (+) possible Internal cablerouting E5000 | E6100 | E7000 Compatible Tubing | Gusset Options Individual Geometry and Framesizes



OP14 WMN







### **Overview**



### ETREKKING

All Frames with integrated or external Battery








**DX6 TYPE SHIMANO** 

**4BAR TYPE BOSCH** 

TT LINK TYPE BOSCH

We offer a wide variety of possibilities for your eTREKKING solutions. Simply choose from different suspension systems, travel levels, geometry settings, wheel size, rear axle width (O.L.D.), and tubing options to compose your favourite frame! All of the frames have been engineered using the latest 3D software and we are using leading kinematics software to optimise the suspension systems performance. Our frames are produced in one of the best bicycle frame factories in the world, so you can count on absolutely outstanding production quality and stability.





Leverage Ratio



## DX6 Type Bosch




### ETREKKING



#### eTrekking Fully

Bosch G4 | PT-500 Internal DT Battery | BT-500 80/90/100mm Suspension Travel 28" 40/50/60mm Tire Tru-Axle Internal cablerouting Tubing | Gusset Options Individual Geometry and Framesizes





## DX6 Type Shimano




### ETREKKING



#### eTrekking Fully

Shimano E8000 | BT-E8035 Internal Battery | BT-E8010 80/90/100mm Suspension Travel 28" 40/50/60mm Tire Tru-Axle Internal cablerouting E5000 | E6100 | E7000 Compatible Tubing | Gusset Options Individual Geometry and Framesizes





## 4BAR Type Bosch




### ETREKKING



#### eTrekking Fully

Bosch G4 | PT-500 Internal DT Battery | BT-500 80/90/100mm Suspension Travel 28" 40/50/60mm Tire Tru-Axle Internal cablerouting Tubing | Gusset Options Individual Geometry and Framesizes





## 4BAR Type Shimano




### ETREKKING



#### eTrekking Fully

Shimano E8000 | BT-E8035 Internal Battery | BT-E8010 80/90/100mm Suspension Travel 28" 40/50/60mm Tire Tru-Axle Internal cablerouting E5000 | E6100 | E7000 Compatible Tubing | Gusset Options **Individual Geometry and Framesizes** 





## TT Link Type Bosch




### ETREKKING



#### eTrekking Fully

Bosch G4 | PT-500 Internal DT Battery | BT-500 80/90/100mm Suspension Travel 28" 40/50/60mm Tire Tru-Axle Internal cablerouting Tubing | Gusset Options Individual Geometry and Framesizes





## TT Link Type Shimano




### ETREKKING



#### eTrekking Fully

Shimano E8000 | BT-E8035 Internal Battery | BT-E8010 80/90/100mm Suspension Travel 28" 40/50/60mm Tire
Tru-Axle
Internal cablerouting
E5000 | E6100 | E7000 Compatible
Tubing | Gusset Options
Individual Geometry and Framesizes





## HT Type Bosch



### ETREKKING



#### eTrekking Hardtail

Bosch G4 | PT-500 Internal DT Battery | BT-500 60/80/100mm Fork Travel 28" 40/50/60mm Tire


Moveable D0 for Belt Drive Internal cablerouting

Tubing | Gusset Options Individual Geometry and Framesizes



**OP17 WMN** 





## HT Type **Shimano**



### ETREKKING



#### eTrekking Hardtail


Shimano E8000 | BT-E8035 Internal Battery | BT-E8010 60/80/100mm Fork Travel 28" 40/50/60mm Tire

Moveable D0 for Belt Drive Internal cablerouting E5000 | E6100 | E7000 Compatible Tubing | Gusset Options Individual Geometry and Framesizes



**OP18 WMN** 





### Wave **Shimano**




### ETREKKING



#### eTrekking WAVE

Shimano E8000 | BT-E8035 Internal Battery 60/80/100mm Fork Travel 28" 40/50/60mm Tire Clearance Moveable DO for Belt Drive Internal cablerouting E5000 | E6100 | E7000 Compatible **Individual Geometry and Framesizes** 







**IMPRINT** 

InterJet Incorporated 2-7-38 Nishimiyahara Yodogawa-ku Osaka 532-0004 Japan

TEL +81-6-6393-3611

FAX +81-6-6393-3822

E-MAIL chris@interjet.co.jp

NEXT GENERATION EBIKE SOLUTIONS

InterJet INC.